



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/466,325

12/17/1999

CYNTHIA BRISCOE

99,305

1025

23330

7590

02/26/2003

MOTOROLA, INC.  
CORPORATE LAW DEPARTMENT - #56-238  
3102 NORTH 56TH STREET  
PHOENIX, AZ 85018

EXAMINER

SINES, BRIAN J

ART UNIT

PAPER NUMBER

1743

DATE MAILED: 02/26/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)	
	09/466,325	BRISCOE ET AL.	
	Examiner	Art Unit	
	Brian J. Sines	1743	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 06 February 2003.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 36-83 is/are pending in the application.
- 4a) Of the above claim(s) 64-83 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 36-63 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 36-83 are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                  | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____  |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)         | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ | 6) <input type="checkbox"/> Other:  |

**DETAILED ACTION**

***Election/Restrictions***

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 36 – 63, drawn to an integrated device for performing biochemical analysis, classified in class 422, subclass 68.1.
- II. Claims 64 – 83, drawn to a method of making an integrated device formed via the sintering together of green sheet layers, classified in class 438, subclass 14.

The inventions are distinct, each from the other because of the following reasons:

Inventions II and I are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case, the claimed device structure may be manufactured using either a sintering or lamination step.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Newly submitted claims 64 – 83 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons: The method of making the claimed device requires the step of sintering the green sheet layers together, thereby forming a substantially monolithic device structure, whereas the

Art Unit: 1743

claimed device structure comprises a substantially monolithic device structure comprising a plurality of green sheet layers. The claimed device structure apparently does not require the sintering step in its fabrication.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 64 – 83 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 36 – 41, 49 – 52, 54, 56, 58 – 60, 62 and 63, are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayes et al. (U.S. Pat. No. 5,849,208 A) in view of Hirota et al. (U.S. Pat. No. 6,465,190 B1). Regarding claims 36, 37 and 58,

Art Unit: 1743

Hayes et al. teach a device (10) comprising: a plurality of well structures (40 – 42) for the parallel processing of a plurality of independently controlled molecular reactions, such as the polymerase chain reaction (PCR); a heating element (50 – 52); a cooling element (90); and a temperature monitoring element associated with each well structure (182) (see col. 3, lines 5 – 27; col. 4, lines 5 – 67; col. 5, lines 1 – 67; col. 6, lines 1 – 3; col. 8, lines 51 – 59; figures 1 – 4). Hayes et al do not specifically teach that the device may be fabricated as a substantially monolithic structure using green sheets. However, Hirota et al. do teach the use of green sheets in the fabrication of a device, wherein the device may be used with a polymerase chain reaction in the analysis of samples containing DNA fragments. Hirota et al. teach that the substrate (50) is constructed by laminating a plurality of green sheets made of zirconia ceramics, in which the green sheets comprise a first thin plate layer (50A), first spacer layer (50B), second thin plate layer (50C), second spacer layer (50D), and third thin plate layer (50E). Hirota et al. teach that the green sheet layers are then sintered together to form one, monolithic unit (see col. 12, lines 8 – 18; figure 5). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate the method of making an integrated or monolithic device using green sheets, as taught by Hirota et al., in the fabrication of the device used for performing and analyzing the results of a polymerase chain reaction, as taught by Hayes et al., since the Courts have held that the construction of a one-piece, integrated construction for a structure formerly disclosed in the prior art is within the ambit of one of ordinary skill in the art (see *In re Larson*, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965)). Regarding claim 40, ceramic materials are well known in the

Art Unit: 1743

art as being corrosion resistant as well as thermally insulating. Therefore, by incorporating the method of making, as taught by Hirota et al., in fabricating a DNA analysis device, as taught by Hayes et al., the resulting monolithic device structure would further comprise a thermally insulating ceramic material separating the well structures of the device. Regarding claim 38, Hayes et al. teach the incorporation of resistive heating elements (54) (see col. 5, lines 62 – 66). Regarding claim 39, Hayes et al. teach that the well structures comprise a thermally conductive material (58) (see col. 5, lines 62 – 67; col. 6, lines 1 – 3; figure 2). Furthermore, regarding claim 39, as discussed above, the resulting monolithic device structure would further comprise a thermally insulating ceramic material separating the well structures of the device.

Regarding claim 41, Hayes et al. teach that the materials used in the construction of the device may incorporate polyimide polymeric material (see col. 4, lines 5 – 25). It would have been obvious to one of ordinary skill in the art to incorporate known materials being either thermally conducting or thermally insulating, such as copper and polyimide, as taught by Hayes et al., in addition to ceramic materials, as taught by Hirota et al., in the fabrication of the instant device, since the Courts have held that the selection of a known material based upon its suitability for the intended use is within the ambit of one of ordinary skill in the art (see *In re Leshin*, 125 USPQ 416 (CCPA 1960)).

Regarding claim 49, Hayes et al. teach the incorporation of a passive cooling system, such as through the incorporation of finned surfaces (col. 4, lines 63 – 66). Regarding claims 50 and 52, Hayes et al. teach the use of an active cooling system, such as a conventional thermoelectric cooler device (see col. 4, lines 63 – 67; col. 5, lines 1 – 4).

Art Unit: 1743

Regarding claim 51, Hayes et al. teach that heat sink (90) is secured or integrated to the second major surface face (24) with a thermally conductive adhesive (92) (col. 4, lines 63 – 66; figure 1). Regarding claims 54 and 56, Hayes et al. teach that the well structures may be sealed using a cover (780) (see col. 12, lines 47 – 62). Regarding claims 59 and 60, Hayes et al. teach that thin film thermocouples may be incorporated into portions of a polyimide layer comprising the substrate of the device (see col. 8, lines 51 – 65). Regarding claims 62 and 63, Hayes et al. teach that terminals (56 & 57) or electrical connections are distributed three-dimensionally within the device structure (see col. 5, lines 51 – 61; figure 2).

Claims 42, 43 and 55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayes et al. in view of Hirota et al. as applied to claims 36 – 41, 49 – 52, 54, 56, 58 – 60, 62 and 63, above, and further in view of Anderson et al. (U.S. Pat. No. 6,168,948 B1). Regarding claims 42 and 43, Hayes et al. and Hirota et al. do not specifically teach the use of parylene as a coating compound. Anderson et al. do teach the coating of channel and chamber surfaces with parylene in order to modify the surfaces to better accommodate a desired reaction (see col. 20, lines 27 – 44). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate the use of parylene, as taught by Anderson et al., with the well structures of the instant device, as taught by Hayes et al. in view of Hirota et al., since the Courts have held that the selection of a known material based upon its suitability for the intended use is within the ambit of one of ordinary skill in the art (see *In re Leshin*, 125 USPQ 416 (CCPA 1960)). Regarding claim 55, Hayes et al. and Hirota et al. do not specifically

Art Unit: 1743

teach the use of sealing the well structures using a layer of mineral oil. Hayes et al. do teach that the cover (780) may comprise a single removable portion that covers only the reaction chambers (see col. 12, lines 47 – 62). Hayes et al. also teach that the fluids containing the DNA material and the solvents will typically have a tendency to vaporize during thermocycling (see col. 13, lines 43 – 53). Anderson et al. do teach the use of mineral oil deposited over the top surface of the sample (see col. 22, lines 4 – 26).

Therefore, it would have been obvious to one of ordinary skill in the art to incorporate the use of a layer of mineral oil, as taught by Anderson et al., with the instant device, as taught by Hayes et al. in view of Hirota et al., in order to permit the evolution of gas while preventing excessive evaporation of fluid from the sample under analysis, since the Courts have held that the selection of a known material based upon its suitability for the intended use is within the ambit of one of ordinary skill in the art (see *In re Leshin*, 125 USPQ 416 (CCPA 1960)).

Claims 44 and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayes et al. in view of Hirota et al. as applied to claims 36 – 41, 49 – 52, 54, 56, 58 – 60, 62 and 63, above, and further in view of Mathies et al. (U.S. Pat. No. 6,132,580 A). Regarding claim 44, Hayes et al. and Hirota et al. do not specifically teach the use of a thin film resistive heater. Hayes et al. do teach that controllable resistance heater (5) is integrally formed within the substrate and that any heater having a heating element in thermal contact with a reaction chamber is suitable (see col. 5, lines 29 – 37). Mathies et al. do teach a device used for PCR amplification, wherein the device incorporates the use of a thin film resistive heater (4) deposited on the bottom

Art Unit: 1743

surface of reaction wells (see col. 5, lines 22 – 63). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate the use of thin film resistive heaters, as taught by Mathies et al., with the instant device, as taught by Hayes et al. in view of Hirota et al., in order to provide effective heating and thermal cycling control of the samples contained within the wells of the device during analysis. Regarding claim 57, Hayes et al. and Hirota et al. do not specifically teach that the cover further comprises means for heating the well structures. Mathies et al. do teach that two or more heating elements may be incorporated in the reaction chamber and that the heating elements may be extended beyond the boundaries of the reaction chamber in order to reduce the potential for temperature gradients within the sample contained within the well structure (see col. 5, lines 45 – 63). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate a cover further comprising a means for heating the well structures, as suggested by Mathies et al., with the instant device, as taught by Hayes et al. in view of Hirota et al., in order to provide for the effective heating of the samples contained in the well structures during thermocycling by preventing or reducing the potential for temperature gradients, which could adversely affect the results of the PCR amplification.

Claims 45, 46 and 61, are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayes et al. in view of Hirota et al. as applied to claims 36 – 41, 49 – 52, 54, 56, 58 – 60, 62 and 63, above, and further in view of Garner (U.S. Pat. No. 5,241,363 A). Hayes et al. and Hirota et al. do not specifically teach the use of a metal wire resistive heater. Hayes et al. do teach that controllable resistance heater (5) is

Art Unit: 1743

integrally formed within the substrate and that any heater having a heating element in thermal contact with a reaction chamber is suitable (see col. 5, lines 29 – 37). Garner does teach the incorporation of a metal wire resistive heater (138) in a device used for PCR amplification. Garner teaches that the heater wire (138) is positioned around the orifice bottom (128) and the passageway (126) of the disclosed apparatus (see col. 9, lines 5 – 44; figures 8 & 9). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate the use of metal wire resistive heaters, as taught by Garner, with the instant device, as taught by Hayes et al. in view of Hirota et al. , in order to provide for effective heating and thermal cycling control of the samples contained within the wells of the device during analysis.

Claims 47, 48 and 53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayes et al. in view of Hirota et al. as applied to claims 36 – 41, 49 – 52, 54, 56, 58 – 60, 62 and 63, above, and further in view of Christel et al. (U.S. Pat. No. 6,369,893 B1). Hayes et al. and Hirota et al. do not specifically teach the use of an integrated heating system which uses either column and row electrical addressing or substantially individual electrical addressing. Hayes et al. do teach that controllable resistance heater (5) is integrally formed within the substrate and that any heater having a heating element in thermal contact with a reaction chamber is suitable (see col. 5, lines 29 – 37). Hayes et al. also teach the use of a programmable controller (940) for a heater control (920) for controlling thermal cycling (see col. 14, lines 5 – 16). Christel et al. teach a device which uses an addressing system for process control (see col. 17, lines 40 – 67; col. 18, lines 1 – 63; col. 19, lines 5 – 41). Therefore, it would have been

Art Unit: 1743

obvious to one of ordinary skill in the art to incorporate the addressing system, as taught by Christel et al., with the instant device, as taught by Hayes et al. in view of Hirota et al., in order to provide for the effective thermal cycling control of each of the addressable well structures of the device. Hayes et al. and Hirota et al. do not specifically teach the use of an integrated optical sensor system. Christel et al. do teach an improved system for optically interrogating reaction mixtures for analyzing the results of PCR amplification (see col. 3, lines 40 – 67; col. 4, lines 1 – 65). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate the improved optical interrogating system, as taught by Christel et al., with the instant device, as taught by Hayes et al. in view of Hirota et al., in order to provide for the effective analysis of the products resulting from the PCR amplification studies.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Nakatani teaches the fabrication of a monolithic piezoelectric actuator device using green sheets for use in an ink jet printer. Utsumi et al. teach a method of manufacturing a ceramic electronic device.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines, Ph.D. whose telephone number is (703) 305-0401. The examiner can normally be reached on Monday - Friday (11:30 AM - 8 PM EST).

Art Unit: 1743

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (703) 308-4037. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9310 for regular communications and (703) 872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

BJS  
February 24, 2003

  
Jill Warden  
Supervisory Patent Examiner  
Technology Center 1700